

**CETOTEX**

*Inner  
Sealed*

*Outer  
Sealed*

REG. U.S. PAT. OFF.

**TRIPLE SEALED**

TRADE-MARK

*Face  
Sealed*

**SHINGLES + SIDING**

**FOR LONGER LIFE AND LASTING BEAUTY**



*Please Note—When ordering materials from this book, check specifications with current price list.*


# CELOTEX SHINGLES SIDING • ROLL ROOFING

The “Triple Sealed” insignia is more than a mere trade-mark identifying a product . . . it is the story of a process used in manufacturing Celotex Asphalt Shingles, Siding and Roll Roofing. The three seals that provide added years of service and greater protection are your assurance of satisfaction. Look for the “Triple Sealed” trade-mark . . . it’s a sign of highest quality . . . always.

THE CELOTEX CORPORATION • CHICAGO, ILLINOIS



# *From Rags to Riches-* The STORY of CELOTEX ROOFING



Strange as it seems, asphalt roofing is made partly from rags. But even in rags there is a difference. Those used in Celotex Asphalt Roofing are selected and graded by hand, dusted, cleaned and carefully processed. This rag stock is made into clean felt, uniformly thick and dense, on up-to-date cylinder machines. Asphalts used are from selected crude oils processed and chemically checked. Granules mined from Mother Earth, or scientifically manufactured, meet rigid specifications. Finally, samples of finished roofing are carefully tested against Celotex standards of perfection. Thus, the true story of "From Rags to Riches" is enacted every day in the making of Celotex Asphalt Roofing, resulting in rich colors, and superior quality.

# Years of Extra Life - The STORY of TRIPLE SEALING



- 1 **Inner Sealed:** By special process, asphalt is forced into felt base from *one side only!* Air and moisture is *driven out* ahead of the asphalt.
- 2 **Outer Sealed:** The *saturated* base is next dipped in an asphalt bath—*encased in a second seal.*
- 3 **Face Sealed:** Finally, a tempered mineral-filled asphalt coating is applied—*thus forming a tough, durable third seal.*

It is now a known fact that many roof and siding materials *aid in destroying themselves*—that tiny air and moisture bubbles trapped inside during manufacture, expand and contract with each temperature change, thus causing a weakening of structure that eventually leads to trouble! The Celotex “Triple Sealed” Process drives out pocketed air and moisture—gives 3-way protection against costly self-destruction. Thus Celotex Triple Sealed roofing and siding is sealed from the inside-out against the elements and against self-destruction. Follow the manufacturing progress on the next page.



## SEAL NO. 1

As the asphalt is forced into the felt from the front side only, it gradually "bleeds" through and out the back as shown here.

Front

Back

## SEAL NO. 2

After the inside of the felt is thoroughly saturated and filled Seal No. 2 is applied by submerging the entire piece in asphalt.

Seal No. 1  
under Seal  
No. 2

## SEAL NO. 3

The third step puts still another protective coat of special mineral-filled asphalt on top of Seal No. 2 —increasing toughness and durability.

Seal No. 2  
under Seal  
No. 3

## GRANULE FINISH

Now colored fireproof granules are firmly embedded in a coating of asphalt on top of the "Triple Sealed" base.

Seal No. 3  
under Granule  
Finish

# Tested for Weather



## EVERYWHERE

No matter how beautiful a roof may be, if it cannot withstand the climate *where it is used*, it fails as a roof. Celotex Asphalt Shingles, Siding and Roll Roofing are rigidly tested for weather. Severe cold, excessive heat, torrential rains, violent winds, spanking, scrubbing with wire brushes, heating—all are a part of the tests applied to Celotex Triple Sealed Roofing Products. Nature is a tough taskmaster and Celotex uses her methods to make your Celotex Triple Sealed Asphalt Roof proof against weather—everywhere.



## FOR YOUR PROTECTION





# *Roofs Over The U.S.*—SHINGLES BY CELOTEX

North, South, East and West, Celotex Asphalt Shingles, Siding and Roll Roofing protect roofs, add beauty and lasting service to homes, factories and farm buildings.










*For Your Protection by*

**CELOTEX**  
MADE IN U.S.A.

## SHAD-O-GRAIN SHINGLES



Side View: Extra coat of asphalt and granules on top of regular granule coating gives extra body to exposed area.



Edge View: Raised granules in blended colors spaced at varied distances. Irregular lines cast shadows between the graining, adding depth to the colorful finish.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....5 inches  
HEADLAP .....2 inches  
WEIGHT .....260 pounds  
per square—80 slabs to a square—3 bundles in  
one square.

**COLORS**  
GRAY BLEND\*  
GREEN BLEND\*  
RED BLEND\*  
BROWN BLEND\*

*\*Available at all factories except Richmond.  
Color shown on reverse side GREEN BLEND.*










*For Your Protection by*

**CELOTEX**  
MADE IN U.S.A.

## SHAD-O-GRAIN SHINGLES



Side View: Extra coat of asphalt and granules on top of regular granule coating gives extra body to exposed area.



Edge View: Raised granules in blended colors spaced at varied distances. Irregular lines cast shadows between the graining, adding depth to the colorful finish.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....5 inches  
 HEADLAP .....2 inches  
 WEIGHT .....260 pounds  
 per square—80 slabs to a square—3 bundles in  
 one square.

**COLORS**  
 GRAY BLEND\*  
 GREEN BLEND\*  
 RED BLEND\*  
 BROWN BLEND\*

*\* Available at all factories except Richmond.  
 Color shown on reverse side GRAY BLEND.*






*For Your Protection by*

**CELOTEX**  
MADE IN U.S.A.

## SHAD-O-GRAIN SHINGLES



Side View: Extra coat of asphalt and granules on top of regular granule coating gives extra body to exposed area.



Edge View: Raised granules in blended colors spaced at varied distances. Irregular lines cast shadows between the graining, adding depth to the colorful finish.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....5 inches  
HEADLAP .....2 inches  
WEIGHT .....260 pounds  
per square—80 slabs to a square—3 bundles in one square.

**COLORS**  
GRAY BLEND\*  
GREEN BLEND\*  
RED BLEND\*  
BROWN BLEND\*

*\*Available at all factories except Richmond.  
Color shown on reverse side RED BLEND.*








*For Your Protection by*

**CELOTEX**  
MADE IN THE U.S.A.

## SHAD-O-GRAIN SHINGLES



Side View: Extra coat of asphalt and granules on top of regular granule coating gives extra body to exposed area.



Edge View: Raised granules in blended colors spaced at varied distances. Irregular lines cast shadows between the graining, adding depth to the colorful finish.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL


EXPOSURE .....5 inches  
HEADLAP .....2 inches  
WEIGHT .....260 pounds  
per square—80 slabs to a square—3 bundles in  
one square.

#### COLORS

GRAY BLEND\*  
GREEN BLEND\*  
RED BLEND\*  
BROWN BLEND\*

*\*Available at all factories except Richmond.  
Color shown on reverse side BROWN BLEND.*










For Your Protection by **CELOTEX**

## THREE-TAB EDGSEAL SHINGLES



Side View: The extra coating of asphalt and granules applied to face, back and edge by special dip process seals edge, adds weight and wearing surface where needed to tab.



Edge View: Showing the two coats of granules and extra coat of tempered mineral filled asphalt on face side, one extra coat of granules and asphalt on edge and back.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....5 inches  
HEADLAP .....2 inches  
WEIGHT .....230 pounds  
per square—80 slabs in one square—3 bundles  
in one square.

### COLORS


LAWN GREEN  
BRIGHT RED BLEND\*  
BRIGHT GREEN BLEND  
GRAY GREEN BLEND\*\*

\*Available at Marseilles and York factories only.

\*\*Not available at Kansas City factory.

None available at Richmond factory.

Color shown on reverse side is BRIGHT RED BLEND.








*For Your Protection by*

**CELOTEX**  
MADE IN U.S.A.

## THREE-TAB EDGSEAL SHINGLES



Side View: The extra coating of asphalt and granules applied to face, back and edge by special dip process seals edge, adds weight and wearing surface where needed to tab.



Edge View: Showing the two coats of granules and extra coat of tempered mineral filled asphalt on face side, one extra coat of granules and asphalt on edge and back.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE ..... 5 inches  
 HEADLAP ..... 2 inches  
 WEIGHT ..... 230 pounds  
 per square—80 slabs in one square—3 bundles  
 in one square.

### COLORS

LAWN GREEN  
 BRIGHT RED BLEND\*  
 BRIGHT GREEN BLEND  
 GRAY GREEN BLEND\*\*

\*Available at Marseilles and York factories only.

\*\*Not available at Kansas City factory.

None available at Richmond factory.

Color shown on reverse side is BRIGHT GREEN BLEND.








*For Your Protection by*

**CELOTEX**

## THICK-BUTT SHINGLES



Side View: Double surface construction—a coat of tempered filled asphalt and granules applied over regular granule surface finish.



Edge View: Built-up construction provides two coats of granules, and one added seal of asphalt over "Triple Sealed" base.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....5 inches

HEADLAP .....2 inches

WEIGHT .....210 pounds

per square—80 slabs per

square—3 bundles in one

square.

### COLORS

BRICK RED

SLATE BLEND\*\*\*

OLD STANDARD GREEN\* PURPLE SLATE BLEND\*\*\*\*

LAWN GREEN

BROWN\*\*\*\*

BLUE BLACK\*\*

ALUMINUM

GREEN BLEND\*\*\*\*

RANCHO BROWN\*\*\*\*\*

RED BLEND\*\*\*\*

BLUE\*\*\*\*\*

*\*Not available at East St. Louis, Richmond or Kansas City factories.*

*\*\*Not available at Kansas City factories.*

*\*\*\*Not available at Richmond or Kansas City factories.*

*\*\*\*\*Not available at Richmond factory.*

*\*\*\*\*\*Available at Richmond factory only.*

*Color shown on reverse side is PURPLE SLATE BLEND.*








For Your Protection by **CELOTEX**

## THICK-BUTT SHINGLES



Side View: Double surface construction—a coat of tempered filled asphalt and granules applied over regular granule surface finish.



Edge View: Built-up construction provides two coats of granules, and one added seal of asphalt over "Triple Sealed" base.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....5 inches  
 HEADLAP .....5 inches  
 WEIGHT .....250 pounds  
 per square—80 slabs per square—3 bundles  
 in one square.

LAWN GREEN\*  
 BLUE BLACK\*  
 GREEN BLEND\*\*\*  
 RED BLEND\*\*\*  
 SLATE BLEND\*\*\*

### COLORS

PURPLE SLATE BLEND\*\*\*  
 ALUMINUM\*  
 BRICK RED\*\*  
 RANCHO BROWN\*\*\*\*  
 BLUE\*\*\*\*

\*Not available at East St. Louis or Kansas City factories.

\*\*Available at York and Richmond factories only.

\*\*\*Not available at East St. Louis, Kansas City or Richmond factories.

\*\*\*\*Available at Richmond only.

Color shown on reverse side is SLATE BLEND.








*For Your Protection by*

**CELOTEX**  
MADE IN U.S.A.

## VER-STYLE SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE ..... 5 inches  
HEADLAP ..... 2½ inches  
WEIGHT ..... 215 pounds  
per square—72 slabs per square—2 bundles in  
one square.

#### COLORS


LAWN GREEN\*  
RED BLEND  
GRAY GREEN BLEND\*\*  
GREEN BLEND

*\*Not available at Niagara Falls, Port Wentworth or York factories.*

*\*\*Not available at Marseilles or Port Wentworth factories.*

*None available at Richmond.*

*Color shown on reverse side is GRAY GREEN BLEND.*








*For Your Protection by*

**CELOTEX**  
REG. U. S. PAT. OFF.

## CUT-OUT SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....4 inches  
 HEADLAP .....2 inches  
 WEIGHT .....210 pounds  
 per square—100 slabs per square—2 bundles in  
 one square.

**COLORS**  
 BRICK RED\*  
 OLD STANDARD GREEN\*  
 LAWN GREEN\*  
 BLUE BLACK\*  
 ALUMINUM\*

*\*Available at Richmond factory only.*

*Color shown on reverse side is BRICK RED.*








*For Your Protection by*

**CELOTEX**  
CEL. CO. INC. CHICAGO, ILL.

## CUT-OUT SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE ..... 4 inches  
HEADLAP .....  $4\frac{1}{2}$  inches  
WEIGHT ..... 266 pounds  
per square—100 slabs per square—3 bundles in  
one square.

#### COLORS

BRICK RED\*  
OLD STANDARD GREEN\*  
LAWN GREEN\*  
BLUE BLACK\*

*\*Not available at Kansas City or Richmond factories.*

*Color shown on reverse side is OLD STANDARD GREEN.*








For Your Protection by

**CELOTEX**  
READY TO NAIL

## STANDARD HEXAGONAL SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....  $4\frac{2}{3}$  inches  
HEADLAP ..... 2 inches  
WEIGHT ..... 167 pounds  
per square—86 slabs per square  
—2 bundles in one square.

**COLORS**  
OLD STANDARD RED  
BRICK RED  
OLD STANDARD GREEN  
LAWN GREEN  
BLUE BLACK


**COLOR BLEND**  
RED BLEND\*\*  
GREEN BLEND\*\*  
ALUMINUM  
PURPLE SLATE BLEND\*  
BLUE\*\*\*

\* Available at Marseilles and Niagara Falls factories only.

\*\* Not available at Richmond factory.

\*\*\* Available at Richmond factory only.

Color shown on reverse side is **OLD STANDARD RED**.








*For Your Protection by*

**CELOTEX**  
MADE IN U.S.A. PAT. 2,774,874

## HEXAGONAL SLAB SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....  $4\frac{2}{3}$  inches  
HEADLAP ..... 3 inches  
WEIGHT ..... 187 pounds  
per square—86 slabs per square—2 bundles in  
one square.

### COLORS

BRICK RED\*  
LAWN GREEN  
BLUE BLACK\*\*

\* Available at Port Wentworth and York factories only.

\*\* Available at East St. Louis, Port Wentworth and York factories only.

None available at Richmond.

Color shown on reverse side is BLUE BLACK.








For Your Protection by **CELOTEX**

## DOUBLE COVERAGE HEXAGONAL SHINGLES



Note: These specifications apply to Richmond factory only.

Exposure .....  $3\frac{7}{8}$  inches

Headlap .....  $4\frac{1}{8}$  inches

Weight ..... 220 pounds

per square—102 slabs per square—  
2 bundles in one square.

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE ..... 4 inches

HEADLAP ..... 4 inches

WEIGHT ..... 215 pounds

per square—102 slabs per square—  
—2 bundles in one square.

### COLORS

OLD STANDARD GREEN\*

LAWN GREEN

BLUE BLACK\*\*

RED BLEND\*\*\*

GREEN BLEND\*\*\*\*

BRICK RED\*\*\*\*\*

ALUMINUM\*\*\*\*\*

\*Not available at East St. Louis, Port Wentworth, Richmond or York factories.


\*\*Not available at East St. Louis, Kansas City or Port Wentworth factories.

\*\*\*Not available at East St. Louis, Port Wentworth, Richmond or York factories.

\*\*\*\*Available at Marseilles and Niagara Falls factories only.

\*\*\*\*\*Available at Richmond factory only.

Color shown on reverse side is RED BLEND.








For Your Protection by **CELOTEX**

## LOK-LAY SHINGLES



18" ———

4" SIDE LAP

### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE ..... 7½ inches  
HEADLAP ..... 3 inches  
WEIGHT ..... 138 pounds  
per square—80 slabs per square—2  
bundles in one square.

BRICK RED\*  
LAWN GREEN  
BLUE BLACK\*\*  
COLOR BLEND  
GREEN BLEND\*\*\*  
RED BLEND\*\*\*

### COLORS

ALUMINUM  
PURPLE SLATE BLEND\*\*\*  
BROWN BLEND\*\*\*  
OLD STANDARD GREEN\*\*\*\*  
PURPLE BLEND\*\*\*\*  
RANCHO BROWN BLEND\*\*\*\*


\*Not available at Marseilles or Niagara Falls factories.

\*\*Not available at Kansas City or Marseilles factories.

\*\*\*Not available at Richmond factory.

\*\*\*\*Available at Richmond factory only.

Color shown on reverse side is COLOR BLEND.








For Your Protection by

**CELOTEX**  
MADE IN U.S.A.

## LOK-LAY SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....7½ inches  
HEADLAP .....3 inches  
WEIGHT .....138 pounds  
per square—80 slabs per square—2  
bundles in one square.

BRICK RED\*  
LAWN GREEN  
BLUE BLACK\*\*  
COLOR BLEND  
GREEN BLEND\*\*\*  
RED BLEND\*\*\*

### COLORS

ALUMINUM  
PURPLE SLATE BLEND\*\*\*  
BROWN BLEND\*\*\*  
OLD STANDARD GREEN\*\*\*\*  
PURPLE BLEND\*\*\*\*  
RANCHO BROWN BLEND\*\*\*\*


*\*Not available at Marseilles or Niagara Falls factories.*

*\*\*Not available at Kansas City or Marseilles factories.*

*\*\*\*Not available at Richmond factory.*

*\*\*\*\*Available at Richmond factory only.*

*Color shown on reverse side is BROWN BLEND.*








*For Your Protection by*

**CELOTEX**  
MADE IN U.S.A.

## HEX-LOX SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....13½ inches  
HEADLAP .....2½ inches  
WEIGHT .....135 pounds  
per square — 82 slabs per square — 2  
bundles in one square.

#### COLORS

BRICK RED\*  
LAWN GREEN\*  
BLUE BLACK\*  
COLOR BLEND\*

RED BLEND\*  
GREEN BLEND\*  
ALUMINUM\*

*\*Available at East St. Louis, Port Wentworth and York factories only.  
Color shown on reverse side is LAWN GREEN.*








For Your Protection by **CELOTEX**

## SELF-SPACING INDIVIDUAL SHINGLES




### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE ..... 5 inches  
HEADLAP ..... 6 inches  
WEIGHT ..... 337 pounds  
per square—236 slabs per square—4 bundles in  
one square.

**COLORS**  
LAWN GREEN\*  
BLUE BLACK\*

*\*Not available at East St. Louis, Kansas City or Richmond factories.  
Color shown on reverse side is BLUE BLACK.*








*For Your Protection by*

**CELOTEX**  
REG. U. S. PAT. OFF.

## HIP AND RIDGE SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE ..... 4 inches  
HEADLAP ..... 4 <sup>3</sup>/<sub>4</sub> inches  
WEIGHT ..... 253 pounds  
per square—380 slabs per square—4 bundles in  
one square.

**COLORS**  
BRICK RED  
LAWN GREEN  
BLUE BLACK\*  
GREEN BLEND\*\*  
COLOR BLEND\*\*

*\*Not available at Kansas City factory.*

*\*\*Available at Kansas City factory only.*

*None available at Richmond factory.*

*Color shown on reverse side is BRICK RED.*








For Your Protection by **CELOTEX**

## STRAIGHT EDGE INDIVIDUAL SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE ..... 4 inches  
HEADLAP ..... 4 1/2 inches  
WEIGHT ..... 252 pounds  
per square—380 slabs per square—4  
bundles in one square.


#### COLORS

BRICK RED\*  
OLD STANDARD RED\*  
LAWN GREEN\*  
OLD STANDARD GREEN\*  
RANCHO BROWN\*

BLUE BLACK\*  
ALUMINUM\*  
COLOR BLEND\*  
BLUE\*

*\*Available at Richmond factory only.  
Color shown on reverse side is BROWN.*










*For Your Protection by*

**CELOTEX**  
EST. IN 1917

## DUTCH LAP SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL


EXPOSURE .....10 inches  
HEADLAP .....2 inches  
WEIGHT .....135 pounds  
per square—112 slabs per square—2 bundles in  
one square.

**COLORS**  
BRICK RED\*  
LAWN GREEN\*  
BLUE BLACK\*  
ALUMINUM\*  
BLUE\*

*\*Available at Richmond factory only.*

*Color shown on reverse side is LAWN GREEN.*










*For Your Protection by*

**CELOTEX**  
REG. U. S. PAT. OFF.

## SURFLINE SHINGLES



### SPECIFICATIONS • UNDERWRITER'S CLASS C LABEL

EXPOSURE .....4 $\frac{2}{3}$  inches  
 HEADLAP .....2 inches  
 WEIGHT .....168 pounds  
 per square—86 slabs per square—2 bundles in  
 one square.

**COLORS**  
 BRICK RED\*  
 LAWN GREEN\*  
 BLUE\*  
 ALUMINUM\*

*\*Available at Richmond factory only.*

*Color shown on reverse side is ALUMINUM.*








For Your Protection by

**CELOTEX**  
MADE IN U.S.A.

## BRIK-FACE EDGSEAL SIDING



### SPECIFICATIONS

EXPOSURE...3 inches  
HEADLAP.....1 inch  
WEIGHT...230 pounds  
per square — 132 slabs  
per square — 4 bundles  
in one square.

#### BLACK MORTAR LINE

#### WHITE MORTAR LINE

#### BROWN MORTAR LINE

#### TYPE

Color No. 1  
Color No. 3  
BRICK RED

Color No. 1  
Color No. 3  
Color No. 4  
BRICK RED

Color No. 4

#### GRANULE MIX

RED, BUFF, BROWN\*  
BLUE-BLACK, RED, BUFF\*\*  
BRICK RED\*\*\*

RED, BUFF, BROWN\*\*\*\*  
BLUE-BLACK, RED, BUFF\*\*\*\*  
BUFF, RED, WHITE\*\*\*\*\*  
BRICK RED\*\*\*\*\*

BUFF, RED, WHITE\*\*\*\*\*

\*Available at East St. Louis, Marseilles and Niagara Falls factories only.

\*\*Not available at Kansas City, Richmond and Port Wentworth factories.


\*\*\*Not available at Kansas City, Marseilles, Richmond and Port Wentworth factories.

Color shown on reverse side is BLACK MORTAR LINE—COLOR No. 3, BLUE-BLACK, RED, BUFF.

\*\*\*\*Not available at Kansas City, Richmond or Port Wentworth factories.

\*\*\*\*\*Available at East St. Louis and York factories only.

\*\*\*\*\*Not available at Kansas City, Richmond or Port Wentworth factories.








For Your Protection by

**CELOTEX**  
228 W. 4th St. St. Louis, Mo.

## BRIK-FACE EDGSEAL SIDING



### SPECIFICATIONS

EXPOSURE...3 inches  
HEADLAP.....1 inch  
WEIGHT...230 pounds  
per square — 132 slabs  
per square — 4 bundles  
in one square.

BLACK MORTAR LINE

WHITE MORTAR LINE

BROWN MORTAR LINE

#### TYPE

Color No. 1  
Color No. 3  
BRICK RED

Color No. 1  
Color No. 3  
Color No. 4  
BRICK RED

Color No. 4

#### GRANULE MIX

RED, BUFF, BROWN\*  
BLUE-BLACK, RED, BUFF\*\*  
BRICK RED\*\*\*

RED, BUFF, BROWN\*\*\*\*  
BLUE-BLACK, RED, BUFF\*\*\*\*  
BUFF, RED, WHITE\*\*\*\*\*  
BRICK RED\*\*\*\*\*

BUFF, RED, WHITE\*\*\*\*\*

\*Available at East St. Louis, Marseilles and Niagara Falls factories only.

\*\*Not available at Kansas City, Richmond and Port Wentworth factories.

\*\*\*Not available at Kansas City, Marseilles, Richmond and Port Wentworth factories.

\*\*\*\*Not available at Kansas City, Richmond or Port Wentworth factories.

\*\*\*\*\*Available at East St. Louis and York factories only.

\*\*\*\*\*Not available at Kansas City, Richmond or Port Wentworth factories.

Color shown on reverse side is WHITE MORTAR LINE—COLOR No. 1, RED, BUFF, BROWN.










For Your Protection by

**CELOTEX**  
MADE IN U.S.A.

## BRIK-FACE EDGSEAL SIDING



### SPECIFICATIONS

EXPOSURE...3 inches  
HEADLAP.....1 inch  
WEIGHT...230 pounds  
per square—132 slabs  
per square—4 bundles  
in one square.

BLACK MORTAR LINE

WHITE MORTAR LINE

BROWN MORTAR LINE

#### TYPE

Color No. 1  
Color No. 3  
BRICK RED

Color No. 1  
Color No. 3  
Color No. 4  
BRICK RED

Color No. 4

#### GRANULE MIX

RED, BUFF, BROWN\*  
BLUE-BLACK, RED, BUFF\*\*  
BRICK RED\*\*\*

RED, BUFF, BROWN\*\*\*\*  
BLUE-BLACK, RED, BUFF\*\*\*\*  
BUFF, RED, WHITE\*\*\*\*  
BRICK RED\*\*\*\*\*

BUFF, RED, WHITE\*\*\*\*\*

\*Available at East St. Louis, Marseilles and Niagara Falls factories only.

\*\*Not available at Kansas City, Richmond and Port Wentworth factories.

\*\*\*Not available at Kansas City, Marseilles, Richmond and Port Wentworth factories.

Color shown on reverse side is WHITE MORTAR LINE—COLOR No. 4, BUFF, RED, WHITE.

\*\*\*\*Not available at Kansas City, Richmond or Port Wentworth factories.

\*\*\*\*\*Available at East St. Louis and York factories only.

\*\*\*\*\*Not available at Kansas City, Richmond or Port Wentworth factories.










For Your Protection by **CELOTEX**

## BRIK-FACE THICK BUTT SIDING



### SPECIFICATIONS

EXPOSURE ..3 inches  
HEADLAP .....1 inch  
WEIGHT ..175 pounds  
per square — 134 slabs  
per square — 3 bundles  
in one square.

BLACK MORTAR LINE

WHITE MORTAR LINE

BROWN MORTAR LINE

#### TYPE

Color No. 301  
BRICK RED

Color No. 301  
Color No. 303  
Color No. 304  
BRICK RED

Color No. 304

#### GRANULE MIX


RED, BUFF, BROWN\*  
BRICK RED\*

RED, BUFF, BROWN\*  
BLUE-BLACK, RED, BUFF\*  
BUFF, RED, WHITE\*  
BRICK RED\*

BUFF, RED, WHITE\*

\*Available at East St. Louis, Niagara Falls and York factories only.  
Color shown on reverse side is

BROWN MORTAR LINE—COLOR No. 304, BUFF, RED, WHITE.








For Your Protection by **CELOTEX**

## BRIK-FACE THICK BUTT SIDING



### SPECIFICATIONS

EXPOSURE . . . 3 inches  
HEADLAP . . . . 1 inch  
WEIGHT . . 175 pounds  
per square — 134 slabs  
per square — 3 bundles  
in one square.

BLACK MORTAR LINE

TYPE

Color No. 301.  
BRICK RED

GRANULE MIX  
RED, BUFF, BROWN\*  
BRICK RED\*

WHITE MORTAR LINE

Color No. 301  
Color No. 303  
Color No. 304  
BRICK RED

RED, BUFF, BROWN\*  
BLUE-BLACK, RED, BUFF\*  
BUFF, RED, WHITE\*  
BRICK RED\*


BROWN MORTAR LINE

Color No. 304

BUFF, RED, WHITE\*

*\*Available at East St. Louis, Niagara Falls and York factories only.*

*Color shown on reverse side is WHITE MORTAR LINE—BRICK RED.*








*For Your Protection by*

**CELOTEX**  
MADE IN U.S.A.

## FOUR POINT HEX SIDING



### SPECIFICATIONS

EXPOSURE .....5 inches  
 HEADLAP .....1 inch  
 WEIGHT .....148 pounds  
 per square—80 slabs per square—2 bundles in  
 one square.

### COLORS

BRICK RED\*  
 LAWN GREEN\*  
 BUFFTONE\*

*\* Available at Marseilles and York factories only.  
 Color shown on reverse side is BUFFTONE.*



*This Mark and*

*this name*



**IS YOUR ASSURANCE OF QUALITY**